

## AUTOTECH FLAIL MOWERS 锤式割草机




- ▶ 主要机型 Main models
- ▶ 主要组成部分 Main Components
- ▶ 主要参数与图片 Specifications & Photos

## Main Models



- Light duty: EFM、BCRL
- Medium duty: EFGC、EFME、EFGCH、MFZ、BCRM
- EFM Series width: 95、115、135、155、175
- BCRL Series width: 115、135、155;
- EFGC Series width: 115、135、155、175、195;
- EFGCH Series width: 135、155、175
- EFME Series width: 115、135、155、175、195;
- MFZ Series width: 135、155、175、195;
- BCRM Series width: 135、155、175

## Main components



### 产品主要组成部分：

(1) : 悬挂 Frame

(2) : 机罩焊合 Frame Weldment

(3) : 中间齿轮箱 Middle Gearbox

(4) : 刀轴 Rotor Weldment

(5) : 侧边箱 Side Gearbox







(6) : 压辊 Height Adjustable Rear Roller

(7) : 液压系统 Hydraulic

(8) : 前防护 Steel Front Safety Flaps

(9) : 后防护 Break Back Protection

# Specifications

Model			 HP	 RPM	Transmission	Blades Type	Pto Shaft
	mix	max					
EFM	900	1700	18-25	540	Belt		T4-800PP-2
BCRL	1100	1500	18-25	540	Belt		T4-1500PP-2
EFGC	1100	1900	30-45	540	Belt		T4-1000PP-2
EFME	1100	1900	30-45	540/1000	Belt		
EFGCH	1300	1700	30-45	540	Belt		
BCRM	1300	1700	30-45	540	Belt		
MFZ	1300	1900	30-45	540	Belt		T5-1000PP-2

# EFM





## 1、描述：


轻型割草机，适合园林装饰修剪草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地。

## 2、标准配置

- Cat I (Cat II option)
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Hammer Flails
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Optional Front or Rear Mounted
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
EFM95	900	18	193	1160*800*550
EFM115	1100	24	214	1360*800*550
EFM135	1300	24	232	1560*800*550
EFM155	1500	30	254	1760*800*550
EFM175	1700	30	272	1960*800*550



# BCRL





## 1、描述：

轻型割草机，适合园林装饰修剪草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地。

## 2、标准配置

- Cat I (Cat II option)
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Hammer Flails
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Optional Front or Rear Mounted
- Left & Right hand offset models
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
BCRL115	1100	24	273	1360*800*700
BCRL135	1300	24	289	1560*800*700
BCRL155	1500	30	305	1760*800*700





# EFGC





## 1、描述：


中型割草机，适合草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地，对小型树木也同样适用

## 2、标准配置

- Cat I (Cat II option)
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Hammer Flails
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Optional Front or Rear Mounted
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
EFGC115	1100	20	302	1420*820*800
EFGC135	1300	24	324	1620*820*800
EFGC155	1500	24	345	1820*820*800
EFGC175	1700	28	368	2020*820*800
EFGC195	1900	30	392	2220*820*800



# EFME





## 1、描述：

中型割草机，适合草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地，对小型树木也同样适用

## 2、标准配置

- Cat I (Cat II option)
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Hammer Flails
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Optional Front or Rear Mounted
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
EFME115	1100	20	309	1420*820*800
EFME135	1300	24	327	1620*820*800
EFME155	1500	24	348	1820*820*800
EFME175	1700	28	371	2020*820*800
EFME195	1900	30	395	2220*820*800





# EFGCH





## 1、描述：

中型割草机，适合草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地，对小型树木也同样适用

## 2、标准配置

- Cat I (Cat II option)
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Hammer Flails
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Optional Front or Rear Mounted
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
EFGC-H135	1300	24	367	1620*920*960
EFGC-H155	1500	24	396	1820*920*960
EFGC-H175	1700	28	430	2020*920*960



# MFZ





## 1、描述：

中型割草机，适合草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地，对小型树木也同样适用

## 2、标准配置

- Cat I (Cat II option)
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Toothed Lower Counter Blade
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Optional Front or Rear Mounted
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
MFZ135	1300	12	351	1620*920*960
MFZ155	1500	14	374	1820*920*960
MFZ175	1700	16	402	2020*920*960
MFZ195	1900	18	422	2220*920*960



# BCRM





## 1、描述：

中型割草机，适合城市装饰修剪、草地、田地除草、特别是公园内的草地和草原，足球场等其他用草场地，对小型树木也同样适用

## 2、标准配置

- Cat II/III
- Hydraulic Horizontal offset and tilt
- 6 Spline PTO
- Single Speed 540 rpm Gearbox With Freewheel
- Transmission Belts With External Adjustment
- Hammer Flails
- Steel Front Safety Flaps
- Height Adjustable Rear Roller
- Break Back Protection
- Left & Right hand offset models
- Surface coating with DuPont bright Powder,the gloss is more than 90%.

## 3、参数

Model	 mm	 pcs	 kg	 mm
BCRM135	1300	24	448	1620*920*820
BCRM155	1500	24	469	1820*920*820
BCRM175	1700	28	487	2020*920*820

