

AUTOTECH

INTERNATIONAL



2207 Vista Chaparral
Carlsbad, CA 92009, USA
Tel: 001 760 6210018
Fax: 001 760 4544549
bill.yuan@autotechgear.com





SQB10-2



SQB20-2



SQB30-2



SQB30-C



SQB40-2




SQB40-D




SQB40-E




SQB50-2




G




F




Q




E



H



X



C


PTO SHAFT—3LEMON TUBE TYPE

CE



MODEL	DxL (u-joint)	HxS (INNER)	HxS (OUTER)	SPLINE	Supporting horsepower (H.P)	Torque (Nm)
SQB20	23.8x61.2 24x63	27.7x3.3	33.7x2.50	13/8" Z-6 13/4" Z-4	30-47	329-393
SQB30	27x74.5	37.3x4.4	44.4x3.3	13/8" Z-21 13/4" Z-6	40-60	420-524
SQB35	30.20x88		51.6x3	Z-8	50-75	525-655
SQB40	30.20x92			38x32x8	55-80	585-715
SQB45	30.20x106.3	45.6x4		Z-8	60-90	600-740
SQB48	36x89		56x4	48x42x8	65-100	685-830
SQB50	35x98			(Customer choice)	70-105	735-917
SQB55	39x95				75-110	750-950
SQB60	39x118	54x4	63x4		120-200	900-1400
SQB80	48x127					


PTO SHAFT—2LEMON TUBE TYPE



MODEL	DxL (u-joint)	AxBxC (INNER)	AxBxC (OUTER)	Supporting horsepower (H.P)	Torque (Nm)
SQS20	24x63 24x63			16-24	168-210
SQS30	27x74 27x74.5	40.5x30.5x4.1	48x36.5x3	20-35 30-47	200-300 329-393
SQS35	30x88			35-55	360-480
SQS40	30.18x92			40-60	420-524
SQS45	30.188x106.3			50-75	525-655
SQS50	35x95			55-80	585-715
SQS55	39x118	49.2x39.6x4.5	57.6x48.2x3.5	55-80	585-715
SQS60	39x118			65-100	685-830
SQS80	48x127			70-105	735-917

AUTOTECH INTERNATIONAL
 US Office, Carlsbad, CA 92009 USA
 Tel: (760)621-0018, Fax: (760)454-4549
 autotechgear@gmail.com


CE PTO SHAFT—INVOLUTE TUBE TYPE



MODEL	DxL (u-joint)	DxD-Z	SPLINE	Supporting horsepower (H.P)	Torque (Nm)
SQB20	27X74	35x30 - Z.16	Z-8	20-47	200-393
SQB30	30X88	40X35 - Z.14	Z-8	40-60	420-524
SQB40	30X92	40X35 - Z.14	Z-8	50-75	525-655
SQB45	30.20X106.3	48x42x8	Z-8	55-80	585-715
SQB50	35X98	(Customer choice)	48x42x8	65-100	685-830
SQB55	39X95	45X40 - Z.14		75-110	750-950
SQB60	39X118			75-110	750-950
SQB80	48X127			120-200	900-1400

PTO SHAFT—STAR\HEXAGON TUBE TYPE

CE




MODEL	DxL (u-joint)	DxD-Z		Supporting horsepower (H.P)	Torque (Nm)
		bxD (INNER)	bxD (OUTER)		
SQB110	22x54	4x34	4x34	7.0-12	168-210
SQB120	24x63	4x34	4x34	12-20	200-300
SQB130	27x74			16-26	329-393
SQB135	30x68			20-33	360-480
SQB140	30.18x92	4.5x47	6x37	25-35	420-524
SQB145	30.18x106			30-40	525-655
SQB150	35x98			40-65	585-715
SQB155	39x95			50-80	585-715
SQB160	39x118			80-100	685-830
SQB170	48x172			162-250	735-917

AUTOTECH INTERNATIONAL
 US Office, Carlsbad, CA 92009 USA
 Tel: (760)621-0018, Fax: (760)454-4549
 autotechgear@gmail.com

PTO SHAFT—SQUARE TUBE TYPE

CE



MODEL	DxL	HXHS	Supporting horsepower (HP)	Torque (Nm)
SQA10	22x54	36x36x4	7-12	105-131
SQA20	24x63		12-20	168-210
SQA30	27x74	40x40x5	16-26	200-300
SQA35	30x88		20-33	200-300
SQA40	30.18x92		25-35	329-393
SQA45	30.188x106	50x50x5	30-40	360-480
SQA50	35x98		40-65	420-524
SQA55	39x95	50x50x5	50-80	585-715
SQA60	39x118		80-100	840-1048
SQA80	48x127		162-250	900-1400

AUTOTECH INTERNATIONAL
 US Office, Carlsbad, CA 92009 USA
 Tel: (760)621-0018, Fax: (760)454-549
 autotechgear@gmail.com

SQ NO.	d(mm)	L ₁ (mm)	L(mm)	ATTACHMENT	
1GG03	16	39	49	1 1/4 " (6)	
2GG03	19	44	65	1 1/4 " (6)	
3GG03	22	54	89	1 1/4 " (6)	
4GG03	24	63	92	1 1/2 " (21)	
6GG03	27	74	110	1 1/2 " (20)	
SQ NO.	d(mm)	L ₁ (mm)	L(mm)	ATTACHMENT	
1FF07	16	39	49	1 1/4 " (6)	
1FF07L	19	44	65	1 1/4 " (6)	
2FF07	22	54	89	1 1/4 " (6)	
3FF07	24	63	92	1 1/2 " (21)	
4FF07	27	74	110	1 1/2 " (20)	
SQ NO.	d(mm)	L ₁ (mm)	L(mm)	ATTACHMENT	
2QQS	16	39	49	1 1/4 " (6)	
3QQS	19	44	65	1 1/4 " (6)	
4QQS	22	54	89	1 1/4 " (6)	
35QQS	24	63	92	1 1/2 " (21)	
35QQQL	27	74	110	1 1/2 " (20)	
SQ NO.	d(mm)	L ₁ (mm)	d ₂ (mm)	PLATE QTY	ATTACHMENT
4EE1	16	39	140	2	1 1/4 " (6)
4EE2	19	44	160	2	1 1/4 " (6)
6EE2	22	54	160	2	1 1/4 " (6)
6EE4	24	63	160	4	1 1/2 " (21)
7EE2	27	74	160	2	1 1/2 " (20)
SQ NO.	d(mm)	L ₁ (mm)	D ₂ (mm)	ATTACHMENT	
2HH.1	16	39	27	1 1/4 " (6)	
4HH.1	19	44	27	1 1/4 " (6)	
6HH.1	22	54	30	1 1/4 " (6)	
2HH.2	24	63	30	1 1/2 " (21)	
4HH.2	27	74	35	1 1/2 " (20)	
SQ NO.	d(mm)	L ₁ (mm)	L(mm)	ATTACHMENT	
2CC2	16	39	49	1 1/4 " (6)	
2CC4	19	44	65	1 1/4 " (6)	
4CC2	22	54	89	1 1/4 " (6)	
4CC4	24	63	92	1 1/2 " (21)	
6CC2	27	74	110	1 1/2 " (20)	
SQ NO.	d(mm)	L ₁ (mm)	L(mm)	ATTACHMENT	
2PP2	16	39	49	1 1/4 " (6)	
2PP4	19	44	65	1 1/4 " (6)	
4PP2	22	54	89	1 1/4 " (6)	
4PP4	24	63	92	1 1/2 " (21)	
6PP2	27	74	110	1 1/2 " (20)	
SQ NO.	d(mm)	L ₁ (mm)	L(mm)	ATTACHMENT	
10CC2	22	54	89	1 1/4 " (6)	
20CC2	24	63	103	1 1/4 " (6)	
30CC2	27	74	116.5	1 1/4 " (6)	
40CC2	30.18	92	131	1 1/2 " (21)	
50CC2	35	98	140	1 1/2 " (20)	

